



EXISTING BUILDING 42

GRADE

3RD FLOOR

2ND FLOOR

RM. 2-208B

NEW CONDUIT TO  
WAREHOUSE VIA  
DUCT BANK  
3 FEET OF SLACK

3 FEET OF SLACK:

ELECTRICAL  
ROOM -  
WAREHOUSE

3 FEET OF SLACK

NEW WAREHOUSE	GRADE
------------------	-------

DUCT BANK SCHEDULE

NEW COMMUNICATIONS  
DUCT BANK (NOTE 1)  
SEE SITE PLAN ON SHEET  
E1-1 FOR ROUTING

DUCI BANK (NOIE 1)

SEE SITE PLAN ON SHEET

E1-1 FOR ROUTING

# DUCT BANK FOR WAREHOUSE

NOT TO SCALE

NOTES:

1. NEW COMMUNICATIONS DUCT TO BE STUBBED OUT IN NEW ELECTRICAL ROOM IN WAREHOUSE AND IN ROOM 2-208B IN BUILDING 42. UNDERGROUND FIBER BY CONTRACTOR. CONTRACTOR TO BRING FIBER INTO WAREHOUSE AND INTO BUILDING 42 FOR CONNECTION BY VA. VETERANS ADMINISTRATION TO PROVIDE ALL EQUIPMENT AND CABLING IN BUILDINGS.

[illegible]

# ON ARCHTTECT

VIA REGIONAL OFFICE  
345 PERRY HILL ROAD  
MONTGOMERY, ALABAMA

[illegible]